

土質柱状図

Bor. No 1

調査名	次期清掃工場予定地	標高	GH + 3.96 m	施工者	藤田建設株式会社
調査場所	城山薬師町	化内水位	GL - 2.60 m	担当者	三田 寛
工法	ロータリー式コアホーリング	掘削深度	50.00 m	調査月日	昭和 年 月 日 ~ 年 月 日

標尺 (m)	深度 (m)	層厚 (m)	柱状 図	土質 名	色調	観察事項	相対 密度	相対 稠度	現試 位置	標準貫入試験					試料採取						
										深度 (m)	打撃 回数 貫入量	10 cm	20 cm	30 cm	10	20	30	40	50	採取 方法	試料 番号
	1.20	1.20		表土	褐色	耕作土				1.00	9	1	3	5							
1					黒	均等粒細砂				2.00	8	2	3	3							
2						局部的に凝灰質 シルト混入				3.00	11	6	3	2							
3				細砂						4.00	11	4	4	3							
4					黒灰					5.00	38	12	12	14							
5	10.65	9.45								6.00	2/35	1/15	1/20								
6										7.00	8	3	2	3							
7										8.00	4	1/15	3/15								
8										9.00	19	4	5	10							
9										10.00	17	8	6	3							
10										11.00	2	1/15	1/15								
11										12.00	0/50										
12					暗緑灰	少量の粘土分を 混入する				13.00	0/60										
13										14.00	0/70										
14										15.00	0/45										
15										16.00	2/40	1/20	1/20								
16										17.00	1/30										
17				粘土質 シルト		黒から細片散在 高塑性粘土				18.00	0/50										
18										19.00	0/45										
19										20.00	0/60										
20										21.00	0/50										
21					暗灰					22.00	1/60										
22										23.00	1/30										
23										24.00	0/60										
24										25.00	0/60										
25	27.40	16.75								26.00	1/30										
26				シルト混細砂	黒灰	均等粒砂				27.00	2/30	1/20	1/10								
27	29.50	2.10								28.00	8	2	3	3							
28										29.00	10	2	4	4							
29										30.00	2/30	0/20	1/10								
30										31.00	3	1/15	1/10	1/5							
31										32.00	0/50										
32				シルト質粘土	黒灰	少量の細砂混入 GL-33.40~34.10m は細粒砂優勢				33.00	1/50	0/30	1/20								
33										34.00	5	1	2	2							
34	35.20	5.70								35.00	3	1	1	1							
35										36.00	10	3	3	4							
36				腐植土	黒	細砂及び腐植物				37.00	20	6	6	8							
37	37.80	2.60								38.00	24	7	7	10							
38										39.00	35	10	11	14							
39										40.00	50/22	17	26	7/2							
40				礫混り砂	黒灰	2~1mm以下の細砂及び 中粒砂 φ10mm以下の円礫散在				41.00	50/25	17	20	13/5							
41										42.00	50/29	17	9	14/7							
42	42.80	5.00								43.00	50/24	17	22	1/4							
43										44.00	50/22	14	24	7/2							
44										45.00	50/28	15	20	13/8							
45										46.00	50/27	15	20	13/7							
46										47.00	43	14	14	15							
47				砂礫	黒灰	礫質は安山岩、砂岩、 変成岩等				48.00	50/13	42	8/3								
48										49.00	50/27	20	19	11/7							
49	50.24	7.44								50.00	50/21	14	26	10/4							
50																					
51																					
52																					
53																					
54																					
55																					
56																					
57																					
58																					
59																					
60																					