

土質柱状図

Bor. No 2

調査名	次期清掃工場予定地	標高	GH + 4.045 m	施工者	藤田建設株式会社
調査場所	飯山薬師町	孔内水位	GL - 2.40 m	担当者	比村秀雄
工法	ロータリー式コアボーリング	掘削深度	60.00 m	調査月日	昭和 年 月 日 ~ 年 月 日

標尺 (m)	深度 (m)	層厚 (m)	柱状図	土質名	色調	観察事項	相対密度	相対湿度	現試 位置 試験	標準貫入試験					試料採取	
										深度 (m)	打撃 回数 貫入量cm	10 cm	20 cm	30 cm	採取 方法	試料 番号
	1.10	1.10		表土	褐色	耕床土				1.00	11	4	3	4		
1										2.00	8	3	2	3		
2					黒	均等粒砂(細砂)				3.00	1/33					
3						局部的に凝灰質 シルト混入				4.00	22	6	7	9		
4										5.00	24	8	8	8		
5										6.00	4	2	1	1		
6					黒灰					7.00	16	6	4	6		
7										8.00	4	1	1	2		
8										9.00	11	2	3	6		
9										10.00	13	5	2	6		
10										11.00	1/62					
11	11.80	10.70								12.00						
12					暗緑灰	少量の粘土分を 混入する。				13.00	0/70					シタル
13										14.00	0/75					
14										15.00						
15										16.00	0/40					シタル
16										17.00	0/47					
17										18.00	0/100					
18										19.00	0/70					
19					粘土質 シルト	貝ガラ細片散在				20.00						
20										21.00	0/49					シタル
21										22.00	0/84					
22										23.00	0/95					
23					暗灰					24.00	1/75					
24										25.00						
25	27.50	15.70								26.00	0/80					シタル
26										27.00	0/60					
27										28.00	0/90					
28										29.00	6	2	2	2		
29					黒灰	細砂主体とし 少量のシルト混入				30.00						
30	31.75	4.25								31.00	6	2	2	2		シタル
31										32.00	0/45					
32										33.00	0/45					
33						少量の細砂混入				34.00	0/50					
34					黒灰					35.00	1/40					
35	35.70	3.95								36.00	9	3	3	3		
36										37.00	21	6	7	8		
37					腐植土	細砂混入				38.00	8	2	1	5		
38	38.25	2.55								39.00	38	12	13	13		
39										40.00	50/20	15	10	12		
40										41.00	50	19	17	14		
41										42.00	50/17	21	13	11		
42	42.80	4.55								43.00	50/12	39	12	12		
43										44.00	50/17					
44										45.00	50/10	50				
45	46.70	3.90								46.00	50/15	55	18	15		
46										47.00	50/12	32	19	12		
47	47.40	0.70								48.00	50/17					
48										49.00	50/14	28	23	11		
49	50.00	2.60								50.00	50/20	19	31	11		
50										51.00	50/17	23	29	11		
51										52.00	49	17	14	20		
52										53.00	50/22	20	24	12		
53										54.00	50/17	38	19	11		
54										55.00	44	12	15	17		
55										56.00	43	10	14	19		
56										57.00	42	16	11	15		
57										58.00	40	9	14	17		
58										59.00	46	11	15	20		
59										60.00	41	13	18	15		
60	60.50	7.00														